

MC33152PG

Data Sheet

Tag-it(TM) HF-I Plus Transponder Inlays Large Rectangle 0-RFIDN -25 to 70,MOSFET & Power Driver ICs 1.5A High Speed Dual Non-Inverting MOSFET

Manufacturers ON Semiconductor, LLC

Package/Case PDIP-8

Product Type Power Management ICs

RoHS Rohs

Lifecycle



Images are for reference only

ONSEMI

Please submit RFQ for MC33152PG or Email to us: sales@ovaga.com We will contact you in 12 hours.



General Description

The MC34152/MC33152 are dual noninverting high speed drivers specifically designed for applications that require low current digital signals to drive large capacitive loads with high slew rates. These devices feature low input current making them CMOS/LSTTL logic compatible, input hysteresis for fast output switching that is independent of input transition time, and two high current totem pole outputs ideally suited for driving power MOSFETs. Also included is an undervoltage lockout with hysteresis to prevent system erratic operation at low supply voltages. Typical applications include switching power supplies, dc-to-dc converters, capacitor charge pump voltage doublers/inverters, and motor controllers. This device is available in dual-in-line and surface mount packages.

Features Application

Two Independent Channels with 1.5 A Totem Pole Outputs

Output Rise and Fall Times of 15 ns with 1000 pF Load

CMOS/LSTTL Compatible Inputs with Hysteresis

Undervoltage Lockout with Hysteresis

Low Standby Current

Efficient High Frequency Operation

Enhanced System Performance with Common Switching Regulator Control ICs

Pb-Free Packages are Available

Related Products



MC78M05CDTG

ON Semiconductor, LLC





MC34167TG

ON Semiconductor, LLC
TO-220-5



MC78L05ABPG
ON Semiconductor, LLC
TO-92-3



MC33039PG
ON Semiconductor, LLC
PDIP-8



MC78LC33NTRG

ON Semiconductor, LLC
SOT-23-5



ON Semiconductor, LLC PDIP-8

MC33161PG



MC7805ABD2TG

ON Semiconductor, LLC
TO-263-3



MC33035PG

ON Semiconductor, LLC

PDIP-24