

Buffers & Line Drivers TinyLogic UHS 2xBffr (Open Drain Outputs)

Manufacturers	<a href="#">ON Semiconductor, LLC</a>
Package/Case	SC-70-6
Product Type	Logic ICs
RoHS	Rohs
Lifecycle	



Images are for reference only

Please submit RFQ for NC7WZ07FHX or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.



## General Description

The NC7WZ07 is a dual buffer with open drain outputs from Fairchild's Ultra High Speed Series of TinyLogic®. The device is fabricated with advanced CMOS technology to achieve ultra-high speed with high output drive while maintaining low static power dissipation over a broad VCC operating range. The device is specified to operate over the 1.65V to 5.5V VCC range. The inputs and outputs are high impedance when VCC is 0V. Inputs tolerate voltages up to 5.5V independent of VCC operating voltage.

## Application

ONSEMI

## Related Products



### [NC7SZ18P6X](#)

ON Semiconductor, LLC  
SC-70-6



### [NC7SV04P5X](#)

ON Semiconductor, LLC  
SC-70-5



### [NC7SV32P5X](#)

ON Semiconductor, LLC  
SC-70



### [NC7SV08P5X](#)

ON Semiconductor, LLC  
SC-70



[NC7S32M5X](#)

ON Semiconductor, LLC  
SOT-23



[NC7SV157P6X](#)

ON Semiconductor, LLC  
SC-70-6



[NC7WZ08K8X](#)

ON Semiconductor, LLC  
VSOP-8



[NC7SZ00P5X](#)

ON Semiconductor, LLC  
SC-70