

RS-232 Interface IC 1uA 3-5.5V Tcvr w/AutoShutdown


Manufacturers [Analog Devices, Inc](#)

Package/Case SSOP-16

Product Type Interface ICs

RoHS

Lifecycle



Images are for reference only

Please submit RFQ for MAX3221EAE or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.

[RFQ](#)

## General Description

MAX3221EAE is a transceiver chip produced by Maxim Integrated, which is designed to convert RS-232 signals to TTL/CMOS levels and vice versa. Here are some of its features:

### Features

Low-power shutdown mode

Operates at up to 250 kbps data rate

1  $\mu$ A (typ) low-power shutdown with receiver active

5V and 3.3V power supply options

$\pm$ 15kV ESD protection on RS-232 I/O pins

### Application

Battery-powered devices

Handheld devices

Industrial control systems

POS terminals

Networking equipment

Set-top boxes




## Related Products



### [MAX3232EEUE](#)

Analog Devices, Inc  
TSSOP-16



### [MAX202CSE](#)

Analog Devices, Inc  
SOP-16



### [MAX3221EEUE](#)

Analog Devices, Inc  
TSSOP-16



### [MAX490MJA](#)

Analog Devices, Inc  
CDIP-8




### [MAX4544EUT+T](#)

Analog Devices, Inc  
SOT-23-6



### [MAX485ECPA](#)

Analog Devices, Inc  
DIP-8



### [MAX3323EEUE](#)

Analog Devices, Inc  
TSSOP-16



### [MAX3232EUE](#)

Analog Devices, Inc  
TSSOP-16