

LTC3639EMSE#PBF

Data Sheet

Conv DC-DC 4V to 150V Synchronous Step Down Single-Out 0.8V to 150V 0.1A Automotive 12-Pin MSOP EP Tube

| Manufacturers | Analog Devices, Inc | |
|---------------------|--|-------------------------------|
| Package/Case | MSOP-16 | 535 × |
| Product Type | Power Management ICs | |
| RoHS | | |
| Lifecycle | | Images are for reference only |
| Please submit RFO 1 | for LTC 2630EMSE#DBE or Empil to us; sales@ounge.com We will a | contact you in 12 hours PEO |

General Description

The LTC3639 is a high efficiency step-down DC/DC regulator with internal high side and synchronous power switches that draws only 12μ A typical DC supply current while maintaining a regulated output voltage at no load.

The LTC3639 can supply up to 100mA load current and features a programmable peak current limit that provides a simple method for optimizing efficiency and for reducing output ripple and component size. The LTC3639's combination of Burst Mode® operation, integrated power switches, low quiescent current, and programmable peak current limit provides high efficiency over a broad range of load currents.

With its wide input range of 4V to 150V and programmable overvoltage lockout, the LTC3639 is a robust regulator suited for regulating from a wide variety of power sources. Additionally, the LTC3639 includes a precise run threshold and soft-start feature to guarantee that the power system start-up is well-controlled in any environment.

The LTC3639 is available in a thermally enhanced high voltage-capable 16-lead MSE package with four missing pins.

Features

- Wide Operating Input Voltage Range: 4V to 150V
- Synchronous Operation for Highest Efficiency
- Internal High Side and Low Side Power MOSFETs
- No Compensation Required
- Adjustable 10mA to 100mA Maximum Output Current
- Low Dropout Operation: 100% Duty Cycle
- Low Quiescent Current: 12µA
- Wide Output Range: 0.8V to VIN
- $0.8V \pm 1\%$ Feedback Voltage Reference
- Precise RUN Pin Threshold
- Internal or External Soft-Start
- Programmable 1.8V, 3.3V, 5V or Adjustable Output
- Few External Components Required
- Programmable Input Overvoltage Lockout
- Thermally Enhanced High Voltage MSOP Package

Related Products



LT3763EFE

TSSOP28



Analog Devices, Inc





Analog Devices, Inc QFN-24



LTC1966CMS8#PBF Analog Devices, Inc MSOP-8P





Application

Industrial Control Supplies

Medical Devices

Distributed Power Systems

Portable Instruments

Battery-Operated Devices

Automotive

Avionics

LTC3440EMS

LT1038CK

TO-3

Analog Devices, Inc MSOP10

Analog Devices, Inc

LTC2990IMS#PBF

Analog Devices, Inc 10MSOP



LTM8045EY#PBF

Analog Devices, Inc BGA40



LT4295IUFD#PBF

Analog Devices, Inc 28-WFQFN