

+5V-Powered, Multichannel RS-232 Drivers / Receivers

Manufacturers	<a href="#">Analog Devices, Inc</a>
Package/Case	SOP-16
Product Type	Interface ICs
RoHS	
Lifecycle	



Images are for reference only

Please submit RFQ for MAX232AEWE or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.

[RFQ](#)

## General Description

MAX232AEWE is a type of integrated circuit (IC) that is used to convert signals between RS-232 and TTL voltage levels. It is a member of the MAX232 family of ICs and is manufactured by Maxim Integrated Products.

## Features

- Dual charge-pump voltage converters
- ±15kV ESD protection (human body model)
- Operates from a single 5V power supply
- Four drivers and four receivers
- TTL/CMOS compatible

## Application

- Industrial automation
- Instrumentation and measurement
- Data communication
- Computer networking
- Robotics




## Related Products



### [MAX3232EEUE](#)

Analog Devices, Inc  
TSSOP-16



### [MAX202CSE](#)

Analog Devices, Inc  
SOP-16



### [MAX3221EEUE](#)

Analog Devices, Inc  
TSSOP-16



### [MAX490MJA](#)

Analog Devices, Inc  
CDIP-8



### [MAX4544EUT+T](#)

Analog Devices, Inc  
SOT-23-6



### [MAX485ECPA](#)

Analog Devices, Inc  
DIP-8



### [MAX3323EEUE](#)

Analog Devices, Inc  
TSSOP-16



### [MAX3232EUE](#)

Analog Devices, Inc  
TSSOP-16