



Data Sheet

Optocoupler Triac AC-OUT 3-Pin(2+Tab) D2PAK Tube

Manufacturers

ON Semiconductor, LLC

Package/Case

DIP-6

Product Type

Electromechanical

RoHS

Lifecycle



Images are for reference only

Please submit RFQ for MOC3053M or Fmail to us: sales@ovaga.com We will contact you in 12 hours.



General Description

The MOC3051M, MOC3052M and MOC3053M consist of a GaAs infrared emitting diode optically coupled to a non-zero crossing silicon bilateral AC switch (triac). These devices isolate low voltage logic from 115 VAC and 240 VAC lines to provide random phase control of high current triacs or thyristors. These devices feature greatly enhanced static dv/dt capability to ensure stable switching performance of inductive loads.

Features Application

Excellent IFT Stability—IR Emitting Diode Has Low Degradation

ONSEMI

600 V Peak Blocking Voltage

Safety and Regulatory Approvals

UL1577, 4,170 VACRMS for 1 Minute

DIN EN/IEC60747-5-5

Related Products



MOC3053SR2M

ON Semiconductor, LLC

SOPDI



MOC3053SM

ON Semiconductor, LLC

SOPDI



MOC8021SM

ON Semiconductor, LLC SOPDI



FODM8801CR2V

ON Semiconductor, LLC 4-SOIC (0.173",...



FOD8160R2V

ON Semiconductor, LLC SOP-5



HCPL2631M

ON Semiconductor, LLC DIP/SOP8



FOD819

ON Semiconductor, LLC DIP-4



HCPL2530SM

ON Semiconductor, LLC