

MAX4450EUK

Data Sheet

| Ultra-Small, Low-Cost, 210MHz, Single-Supply Op Amps with Rail-to-Rail Out | puts |
|--|------|
|--|------|

| Manufacturers | Analog Devices, Inc | |
|---------------|-------------------------|-------------------------------|
| Package/Case | SOT-23-5 | |
| Product Type | Discrete Semiconductors | |
| RoHS | | |
| Lifecycle | | Images are for reference only |
| | | |

Please submit RFQ for MAX4450EUK or Email to us: sales@ovaga.com We will contact you in 12 hours.

General Description

MAX4450EUK is an operational amplifier (op-amp) manufactured by Maxim Integrated. Here are some of its features:

Features

Supply Voltage Range: 4V to 28V

Input Voltage Range: -0.3V to VCC+0.3V

Bandwidth: 110MHz

Slew Rate: $200V/\mu s$

Low Input Bias Current: 10pA

Low Input Offset Voltage: 1.5mV

Application

High-speed data acquisition


Active filters

Test and measurement equipment

Communications systems

Medical equipment

Video processing



Related Products



Analog Devices, Inc SOT-23-6



MAX6018AEUR16

Analog Devices, Inc SOT23

MAX6605MXK

Analog Devices, Inc SO70-5





Analog Devices, Inc SOT-23-5



Analog Devices, Inc SOT-23-6

MAX5385EUT

MAX4514EUK Analog Devices, Inc SOT-23-5

MAX6043AAUT25



MAX4014EUK

Analog Devices, Inc SOT-23



Analog Devices, Inc SC-70-5

MAX8510EXK30