

64Mb Advanced LPSRAM (4M word × 16bit / 8M word x 8bit)

Manufacturers


[Renesas Technology Corp](#)

Package/Case

Product Type

RoHS

Lifecycle



Images are for reference only

Please submit RFQ for RMWV6416AGBG-5S2#AC0 or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.

[RFQ](#)

## General Description

### Features

Single 3V supply: 2.7V to 3.6V

Access time: 55ns (max.)


Current consumption: Standby: 1.2µA (typ.)

Common data input and output Three state output

Directly TTL compatible All inputs and outputs


Battery backup operation

### Related Products




[RMLV3216AGSA-5S2#AA0](#)

Renesas Technology Corp




[RMLV0408EGSB-4S2](#)

Renesas Technology Corp




[RMLV0816BGSB-4S2](#)

Renesas Technology Corp




[RMLV1616AGSA-5S2](#)

Renesas Technology Corp




[80HSPS1616RM](#)

Renesas Technology Corp




[80HSPS1616CRMI](#)

Renesas Technology Corp  
400-BBGA, FCBGA



[80HSPS1616CRM](#)

Renesas Technology Corp  
400-BBGA, FCBGA



[80HCPS1616RM](#)

Renesas Technology Corp