



Data Sheet

AMPLIFIER IC, Bandwidth: 50MHz, No. of Amplifiers: 1, Slew Rate: 300V/s, Supply Voltage Range: 4.5V to 18V, Operating Temperature Min: 40 C, Operating Temperature Max: 85 C

Manufacturers

Analog Devices, Inc

Package/Case

CDIP-8

Product Type Amplifier ICs

Lifecycle

**RoHS** 



Images are for reference only

Please submit RFQ for AD847AQ or Email to us: sales@ovaga.com We will contact you in 12 hours.

**RFO** 

## **General Description**

The AD847 represents a breakthrough in high speed amplifiers offing superior ac & dc performance and low power, all at low cost. The excellent dc performance is demonstrated by its  $\pm 5$  V specifications which include an open-loop gain of 3500 V/V (500 Ohm load)and low input offset voltage of 0.5 mV.Common-mode rejection is a minimum of 78 dB.Output voltage swing is  $\pm 3$  V into loads as low as 150 Ohm.Analog Devices also offers over 30 other high speed amplifiers from the low noise AD829 (1.7nV/(root)Hz) to the ultimate video amplifier, the AD811, which features 0.01% differential gain and 0.01° differential phase.

## **Features**

Superior PerformanceHigh Unity Gain BW: 50 MHzLow Supply Current: 5.3 mAHigh Slew Rate: 300 V/µsExcellent Video SpecificationsDrives Any Capacitive LoadFast Settling Time to 0.1% (10 V Step): 65 ns

Excellent DC PerformanceHigh Open-Loop Gain 5.5 V/mV>

Specified for  $\pm 5$  V and  $\pm 15$  V Operation

Available in a Wide Variety of OptionsPlastic DIP and SOIC PackagesCerdip PackageDie FormMIL-STD-883B ProcessingTape & Reel (EIA-481A Standard)

Dual Version Available: AD827 (8 lead)

Enhanced Replacement for LM6361



## **Related Products**



AD8418BRMZ-RL
Analog Devices, Inc
MSOP-8



ADA4528-2ARMZ-R7
Analog Devices, Inc
MSOP-8



<u>ADA4084-2ARMZ</u>

Analog Devices, Inc MSOP-8



AD8567ARUZ

Analog Devices, Inc TSSOP-14



AD8022ARMZ

Analog Devices, Inc MSOP-8



AD8062ARMZ

Analog Devices, Inc MSOP8



AD8628AUJZ

Analog Devices, Inc SOP23



**AD8041AR** 

Analog Devices, Inc SOP-8