

+5V, RS-232 Transceivers with 0.1µF External Capacitors, Buffers & Line Drivers IC TXRX RS232 5V

Manufacturers	Analog Devices, Inc
Package/Case	SO-16
Product Type	Interface ICs
RoHS	Rohs
Lifecycle	



Images are for reference only

Please submit RFQ for MAX202ESE+ or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.

[RFQ](#)

General Description


MAX202ESE+ is a RS-232 serial interface transceiver chip manufactured by Maxim Integrated. Its features include:

Features

- Two RS-232 transceivers in a single package
- Operates from a single 5V supply
- Uses low-power CMOS technology
- Guaranteed data rate of 120kbps
- Meets EIA/TIA-232E and V.28/V.24 specifications
- Has a shutdown mode to conserve power
- Has short-circuit protection and thermal shutdown

Application

- MAX202CPN
- MAX202CSE
- MAX202ECSE
- MAX202ECUE
- MAX202EPE
- MAX202IDR
- MAX202ECUE+
- MAX202IDWE
- MAX202ESE+T




Related Products



[MAX3232EEUE](#)

Analog Devices, Inc
TSSOP-16



[MAX202CSE](#)

Analog Devices, Inc
SOP-16



[MAX3221EEUE](#)

Analog Devices, Inc
TSSOP-16



[MAX490MJA](#)

Analog Devices, Inc
CDIP-8



[MAX4544EUT+T](#)

Analog Devices, Inc
SOT-23-6



[MAX485ECPA](#)

Analog Devices, Inc
DIP-8



[MAX3232EEUE](#)

Analog Devices, Inc
TSSOP-16



[MAX3232EUE](#)

Analog Devices, Inc
TSSOP-16